



# Extension Cords

**americanlite<sup>®</sup>**

**We light your world<sup>™</sup>**





**Flat Cord**



**Light Duty**  
Cable SPT-2  
Gauge 16 AWG x 2C  
Volts 125V  
Sleeve Packing

Model	Length			Pieces Per Master	Carton Size	Gross WT. (KGS)	CBM Per Master
	(FT)	Amps	Watts				
AL602001	6	13	1625	50	34x25x15.5	7.50	0.0131
AL602002	9	13	1625	50	34x26x17	9.80	0.0150
AL602003	12	13	1625	50	36x28x17	12.0	0.0174
AL602004	15	13	1625	50	38x29x18.5	14.5	0.0203
AL602005	20	13	1625	50	38x34x21	18.4	0.0271



**Light Duty**  
Cable SPT-2  
Gauge 16 AWG x 2C  
Volts 125V  
Sleeve Packing

Model	Length			Pieces Per Master	Carton Size	Gross WT. (KGS)	CBM Per Master
	(FT)	Amps	Watts				
AL602006	6	13	1625	50	34x25x15.5	7.50	0.0131
AL602007	9	13	1625	50	34x26x17	9.80	0.0150
AL602008	12	13	1625	50	36x28x17	12.0	0.0174
AL602009	15	13	1625	50	38x29x18.5	14.5	0.0203
AL602010	20	13	1625	50	38x34x21	18.4	0.0271



**Light Duty**  
Cable SPT-2  
Gauge 16 AWG x 2C  
Volts 125V  
Sleeve Packing

Model	Length			Pieces Per Master	Carton Size	Gross WT. (KGS)	CBM Per Master
	(FT)	Amps	Watts				
AL602011	6	13	1625	50	34x25x15.5	7.50	0.0131
AL602012	9	13	1625	50	34x26x17	9.80	0.0150
AL602013	12	13	1625	50	36x28x17	12.0	0.0174
AL602014	15	13	1625	50	38x29x18.5	14.5	0.0203
AL602015	20	13	1625	50	38x34x21	18.4	0.0271



**3 Outlet Extension Cord**



**3 Outlet**  
Cable SPT-2  
Gauge 16AWG x 3C  
Volts 125V  
Color White  
Sleeve Packing

Model	Length			Pieces Per Master	Carton Size	Gross WT. (KGS)	CBM Per Master
	(FT)	Amps	Watts				
AL601140	6	13	1625	24	33x23x23.6	8.5	0.0162
AL601141	10	13	1625	12	23x18.5x23.6	6.5	0.0100



**3 Outlet**  
Cable SPT-2  
Gauge 16AWG x 3C  
Volts 125V  
Color Black  
Sleeve Packing

Model	Length			Pieces Per Master	Carton Size	Gross WT. (KGS)	CBM Per Master
	(FT)	Amps	Watts				
AL601142	6	13	1625	24	33x23x23.6	8.5	0.0162
AL601143	10	13	1625	12	23x18.5x23.6	6.5	0.0100

**Round Cord**



**Light Duty**  
Cable SJT  
Gauge 16 AWG x 2C  
Volts 125V  
Sleeve Packing

Model	Length			Pieces Per Master	Carton Size	Gross WT. (KGS)	CBM Per Master
	(FT)	Amps	Watts				
AL602101	25	13	1625	12	29x26x25	10.30	0.0188
AL602102	50	13	1625	12	42x31x23	19.73	0.0299
AL602103	100	10	1250	6	43x35x19	19.70	0.0286



### Single Plug



**Light Duty**  
 Cable SJTW  
 Gauge 16 AWG x 3C  
 Volts 125V  
 Sleeve Packing

Model	Length			Pieces Per Master	Carton Size	Gross WT. (KGS)	CBM Per Master
	(FT)	Amps	Watts				
AL602104	15	13	1625	24	29x29x28	13.80	0.0235
AL602105	25	13	1625	12	29x26x25	11.28	0.0186
AL602106	50	13	1625	12	42x31x23	21.00	0.0299
AL602107	100	10	1250	6	43x35x19	20.80	0.0286



**Medium Duty**  
 Cable SJTW  
 Gauge 14 AWG x 3C  
 Volts 125V  
 Sleeve Packing

Model	Length			Pieces Per Master	Carton Size	Gross WT. (KGS)	CBM Per Master
	(FT)	Amps	Watts				
AL602108	25	15	1875	12	42x30x20	13.80	0.0252
AL602109	50	15	1875	8	38x35x23	11.28	0.0305
AL602110	100	13	1625	4	48x20x27	21.00	0.0259



**Heavy Duty**  
 Cable SJTW  
 Gauge 12 AWG x 3C  
 Volts 125V  
 Sleeve Packing

Model	Length			Pieces Per Master	Carton Size	Gross WT. (KGS)	CBM Per Master
	(FT)	Amps	Watts				
AL602111	25	15	1875	8	37x30x22	14.6	0.0244
AL602112	50	15	1875	4	42x19x27	14.5	0.0215

### Triple Outlet



**Light Duty (Fan Type)**  
 Cable SJTW  
 Gauge 16 AWG x 3C  
 Volts 125V  
 Sleeve Packing

Model	Length			Pieces Per Master	Carton Size	Gross WT. (KGS)	CBM Per Master
	(FT)	Amps	Watts				
AL602113	25	13	1625	12	29x26x25	10.5	0.0185
AL602114	50	13	1625	12	42x31x23	21.0	0.0299
AL602115	100	10	1250	6	42x31x23	21.0	0.0299



**Light Duty (T Type)**  
 Cable SJTW  
 Gauge 16 AWG x 3C  
 Volts 125V  
 Sleeve Packing

Model	Length			Pieces Per Master	Carton Size	Gross WT. (KGS)	CBM Per Master
	(FT)	Amps	Watts				
AL602116	25	13	1625	12	29x26x25	10.5	0.0188
AL602117	50	13	1625	12	42x31x23	21.0	0.0299
AL602118	100	10	1250	6	42x31x23	21.0	0.0299



## Metal Wire Guard



**Light Duty**  
 Cable SJT  
 Gauge 16 AWG x 3C  
 Volts 125V  
 Sleeve Packing

Model	Length			Pieces Per Master	Carton Size	Gross WT. (KGS)	CBM Per Master
	(FT)	Amps	Watts				
AL602301	12	13	1625	12	26x20x24	7.00	0.0124
AL602302	25	13	1625	12	29x26x25	10.5	0.0188
AL602303	50	13	1625	12	42x31x23	21.0	0.0299

## Plastic Wire Guard



**Light Duty**  
 Cable SJT  
 Gauge 16 AWG x 2C  
 Volts 125V  
 Sleeve Packing

Model	Length			Pieces Per Master	Carton Size	Gross WT. (KGS)	CBM Per Master
	(FT)	Amps	Watts				
AL602304	12	13	1625	12	23x18.5x23.6	6.00	0.0100
AL602305	25	13	1625	12	29x26x25	8.00	0.0188
AL602306	50	13	1625	12	42x31x23	16.0	0.0299



## Warranty

Americanlite® is pleased to provide a 1 year limited warranty covering the products in this catalogue. Americanlite® warrants that the products comply with Americanlite®'s published specifications and are free from defects in materials and workmanship.

All our equipment is CE, ETL or UL approved and manufactured with approved components. Americanlite® reserves the right to change or improve the design or components of any of its products due to parts availability or changes in standards, without assuming any obligation to modify any product previously manufactured and without notice. All wiring devices are tested and inspected before shipment.

This warranty is void if the product is operated outside of its normal operating conditions. The foregoing warranty does not apply to failures caused by acts of God or as a result of any abuse, misuse, abnormal use, or use in violation of any applicable standard, code or instructions for use in installations, including, but not limited to, those contained in the Standards for the International Electrotechnical Commission. Americanlite® reserves and has the right to examine failed fixtures to determine the cause of failure, excessive lumen depreciation and patterns of usage.