



Power Strips & Surge Protectors

americanlite[®]
We light your world[™]



Standard



4 Outlet

Cable SJT
Gauge 14AWG x 3C
Volts 125V
Switch Lighted
Color Ivory
Sleeve Packing

Model	Length (FT)	Amps	Watts	Pieces Per Master	Carton Size	Gross WT. (KGS)	CBM Per Master
AL601117	2.95	15	1875	24	37x25.5x22	7.00	0.0207



6 Outlet

Cable SJT
Gauge 14AWG x 3C
Volts 125V
Switch Lighted
Color Ivory
Sleeve Packing

Model	Length (FT)	Amps	Watts	Pieces Per Master	Carton Size	Gross WT. (KGS)	CBM Per Master
AL601118	2.95	15	1875	24	33x29x23	7.50	0.0220



6 Outlet

Cable SJT
Gauge 14AWG x 3C
Volts 125V
Switch Lighted
Color Ivory
Sleeve Packing

Model	Length (FT)	Amps	Watts	Pieces Per Master	Carton Size	Gross WT. (KGS)	CBM Per Master
AL601119	1.54	15	1875	24	33x29x23	7.00	0.0220



6 Outlet

Cable SJT
Gauge 14AWG x 3C
Volts 125V
Switch Lighted
Color White
Sleeve Packing

Model	Length (FT)	Amps	Watts	Pieces Per Master	Carton Size	Gross WT. (KGS)	CBM Per Master
AL601128	2.95	15	1875	24	33x29x23	7.50	0.0220



6 Outlet

Cable SJT
Gauge 14AWG x 3C
Volts 125V
Switch Lighted
Color Black
Sleeve Packing

Model	Length (FT)	Amps	Watts	Pieces Per Master	Carton Size	Gross WT. (KGS)	CBM Per Master
AL601120	2.95	15	1875	24	33x29x23	7.50	0.0220

2 Pack



6 Outlet

Cable SJT
Gauge 14AWG x 3C
Volts 125V
Switch Lighted
Color Ivory
Sleeve Packing

Model	Length (FT)	Amps	Watts	Pieces Per Master	Carton Size	Gross WT. (KGS)	CBM Per Master
AL6011182P	2.95	15	1875	12	32x29x23	7.5	0.0213

Slim



6 Outlet

Cable SJT
Gauge 14AWG x 3C
Volts 125V
Switch Lighted
Color Ivory
Sleeve Packing

Model	Length (FT)	Amps	Watts	Pieces Per Master	Carton Size	Gross WT. (KGS)	CBM Per Master
AL601132	2.95	15	1875	24	32x28x22.5	7.00	0.0216
AL601135	9.84	15	1875	24	35x32x30	11.0	0.0336

3 Outlet Power Bar



3 Outlet

Cable SPT-2
Gauge 16AWG x 3C
Volts 125V
Color White
Sleeve Packing

Model	Length (FT)	Amps	Watts	Pieces Per Master	Carton Size	Gross WT. (KGS)	CBM Per Master
AL601140	6	13	1625	24	33x23x23.6	8.5	0.0162
AL601141	10	13	1625	12	23x18.5x23.6	6.5	0.0100



3 Outlet

Cable SPT-2
Gauge 16AWG x 3C
Volts 125V
Color Black
Sleeve Packing

Model	Length (FT)	Amps	Watts	Pieces Per Master	Carton Size	Gross WT. (KGS)	CBM Per Master
AL601142	6	13	1625	24	33x23x23.6	8.5	0.0162
AL601143	10	13	1625	12	23x18.5x23.6	6.5	0.0100

Indoor Metal Powerstrips



6 Outlet
Cable SJT
Gauge 14AWG x 3C
Volts 125V
Switch Lighted
Color Yellow
Sleeve packing

Model	Length (FT)	Amps	Watts	Pieces Per Master	Carton Size	Gross WT. (KGS)	CBM Per Master
A601144	2.95	15	1875	20	43x40x28	13.0	0.0467

With Surge Protection



6 Outlet
Cable SJT
Gauge 14AWG x 3C
Volts 125V
Surge Protection 90J
Switch Lighted
Color Yellow
Sleeve packing

Model	Length (FT)	Amps	Watts	Pieces Per Master	Carton Size	Gross WT. (KGS)	CBM Per Master
A601145	6	15	1875	16	50.5x41x26	11.0	0.0538



8 Outlet
Cable SJT
Gauge 14AWG x 3C
Volts 125V
Surge Protection 90J
Switch Lighted
Color Yellow
Sleeve packing

Model	Length (FT)	Amps	Watts	Pieces Per Master	Carton Size	Gross WT. (KGS)	CBM Per Master
A601146	6	15	1875	16	36.5x31.5x47	12	0.0540



10 Outlet
Cable SJT
Gauge 14AWG x 3C
Volts 125V
Surge Protection 90J
Switch Lighted
Color Yellow
Sleeve packing

Model	Length (FT)	Amps	Watts	Pieces Per Master	Carton Size	Gross WT. (KGS)	CBM Per Master
A601147	6	15	1875	16	36.5x31.5x47	12.5	0.0540



10 Outlet
Cable SJT
Gauge 14AWG x 3C
Volts 125V
Surge Protection 90J
Switch Lighted
Color Black
Sleeve packing

Model	Length (FT)	Amps	Watts	Pieces Per Master	Carton Size	Gross WT. (KGS)	CBM Per Master
A601148	6	15	1875	12	50x25x11	9.0	0.0137

Indoor

Powerstrips / Surge Protection



6 Outlet
 Cable SJT
 Gauge 14AWG x 3C
 Volts 125V
 Joules 90J
 Switch Lighted
 Color Ivory
 Sleeve Packing

Model	Length (FT)	Amps	Watts	Pieces Per Master	Carton Size	Gross WT. (KGS)	CBM Per Master
AL601121	2.95	15	1875	24	33x29x33	7.50	0.0220



5 + 1 Outlet
 Cable SJT
 Gauge 14AWG x 3C
 Volts 125V
 Joules 90J
 Switch Lighted
 Color White
 Sleeve Packing

Model	Length (FT)	Amps	Watts	Pieces Per Master	Carton Size	Gross WT. (KGS)	CBM Per Master
AL601122	2.95	15	1875	24	36x32x22	9.50	0.0253



8 Outlet + 2 USB-A (max 2.4A)
 Cable SJT
 Gauge 14AWG x 3C
 Volts 125V
 Joules 350J
 Switch Lighted
 Color White

Model	Length (FT)	Amps	Watts	Pieces Per Master	Carton Size	Gross WT. (KGS)	CBM Per Master
AL601123	2.95	15	1875	24	41x28.5x29.5	11.00	0.0344



6 Outlet + 2 USB-A (max 2.4A)
 Cable SJT
 Gauge 14AWG x 3C
 Volts 125V
 Joules 350J
 Switch Lighted
 Color White
 Sleeve Packing

Model	Length (FT)	Amps	Watts	Pieces Per Master	Carton Size	Gross WT. (KGS)	CBM Per Master
AL601131	2.95	15	1875	24	36x32x22	9.50	0.0253

Indoor

Powerstrips / Braided Cord



3 Outlet
2 USB-A output 5V 2.4A 12w max
 Cable SJT
 Gauge 14AWG x 3C
 Volts 125V
 Switch Lighted
 Color White
 Color Box packing

Model	Length (FT)	Amps	Watts	Pieces Per Master	Carton Size	Gross WT. (KGS)	CBM Per Master
AL601149	2	15	1875	24	30x20x24	6.50	0.0144
AL601150	3	15	1875	24	30x20x24	7.00	0.0144
AL601151	6	15	1875	24	30x23x23.6	9.0	0.0162
AL601152	8	15	1875	24	30x23x25	10.0	0.0172



4 Outlet
2 USB-A output 5V 2.4A 12w max
 Cable SJT
 Gauge 14AWG x 3C
 Volts 125V
 Switch Lighted
 Color White
 Color Box packing

Model	Length (FT)	Amps	Watts	Pieces Per Master	Carton Size	Gross WT. (KGS)	CBM Per Master
AL601153	2	15	1875	24	30x20x24	6.50	0.0144
AL601154	3	15	1875	24	30x20x24	7.00	0.0144
AL601155	6	15	1875	24	30x23x25	9.00	0.0172
AL601156	8	15	1875	24	30x23x25	10.0	0.0172



6 Outlet
2 USB-A output 5V 2.4A 12w max
 Cable SJT
 Gauge 14AWG x 3C
 Volts 125V
 Switch Lighted
 Color White
 Color Box packing

Model	Length (FT)	Amps	Watts	Pieces Per Master	Carton Size	Gross WT. (KGS)	CBM Per Master
AL601157	2	15	1875	24	32x20x24	7.00	0.0153
AL601158	3	15	1875	24	32x20x24	7.50	0.0153
AL601159	6	15	1875	24	32x23x25	9.50	0.0184
AL601160	8	15	1875	24	30x23x25	10.0	0.0172



3 Outlet
2 USB-A output 5V 2.4A 12w max
1 USB-C output 5V 3A 15w max
A+C output 5V 3.4A 17w max
 Cable SJT
 Gauge 14AWG x 3C
 Volts 125V
 Switch Lighted
 Color White
 Color Box packing

Model	Length (FT)	Amps	Watts	Pieces Per Master	Carton Size	Gross WT. (KGS)	CBM Per Master
AL601161	2	15	1875	24	30x20x24	6.50	0.0144
AL601162	3	15	1875	24	30x20x24	7.00	0.0144
AL601163	6	15	1875	24	30x23x23.6	9.0	0.0162
AL601164	8	15	1875	24	30x23x25	10.0	0.0172



4 Outlet
2 USB-A output 5V 2.4A 12w max
1 USB-C output 5V 3A 15w max
A+C output 5V 3.4A 17w max
 Cable SJT
 Gauge 14AWG x 3C
 Volts 125V
 Switch Lighted
 Color White
 Color Box packing

Model	Length (FT)	Amps	Watts	Pieces Per Master	Carton Size	Gross WT. (KGS)	CBM Per Master
AL601165	2	15	1875	24	30x20x24	6.50	0.0144
AL601166	3	15	1875	24	30x20x24	7.00	0.0144
AL601167	6	15	1875	24	30x23x25	9.00	0.0172
AL601168	8	15	1875	24	30x23x25	10.0	0.0172



6 Outlet
2 USB-A output 5V 2.4A 12w max
1 USB-C output 5V 3A 15w max
A+C output 5V 3.4A 17w max
 Cable SJT
 Gauge 14AWG x 3C
 Volts 125V
 Switch Lighted
 Color White
 Color Box packing

Model	Length (FT)	Amps	Watts	Pieces Per Master	Carton Size	Gross WT. (KGS)	CBM Per Master
AL601169	2	15	1875	24	32x20x24	7.00	0.0153
AL601170	3	15	1875	24	32x20x24	7.50	0.0153
AL601171	6	15	1875	24	32x23x25	9.50	0.0184
AL601172	8	15	1875	24	30x23x25	10.0	0.0172

Indoor

Conversion Sockets



3 Outlet
Volts 125V
Color Ivory
Blister Packing

Model	Amps	Watts	Pieces Per Master	Carton Size	Gross WT. (KGS)	CBM Per Master
AL601124	15	1875	48	40.5x30.5x19.5	3.50	0.0240



6 Outlet
Volts 125V
Color White
Blister Packing

Model	Amps	Watts	Pieces Per Master	Carton Size	Gross WT. (KGS)	CBM Per Master
AL601125	15	1875	48	44x39x23	6.0	0.0390




6 Outlet
Volts 125V
Color Ivory
Blister Packing

Model	Amps	Watts	Pieces Per Master	Carton Size	Gross WT. (KGS)	CBM Per Master
AL601126	15	1875	48	44x39x23	6.0	0.0390



3 Outlet
Volts 125V
Color Ivory
Light Sensor
Blister Packing

Model	Amps	Watts	Pieces Per Master	Carton Size	Gross WT. (KGS)	CBM Per Master
AL601127	15	1875	48	40.5x30.5x19.5	3.50	0.0240



3 Outlet with Covers
Volts 125V
Color Ivory
Blister Packing

Model	Amps	Watts	Pieces Per Master	Carton Size	Gross WT. (KGS)	CBM Per Master
AL601129	15	1875	60	57x37x35	7.0	0.0738



6 Outlet
Volts 125V
Color White
3 Rotating Outlets
Sleeve Packing

Model	Amps	Watts	Pieces Per Master	Carton Size	Gross WT. (KGS)	CBM Per Master
AL601130	15	1875	24	47x31x25.5	5.5	0.0371

Indoor

Conversion Sockets / USB Ports



2 Outlet + 2 USB-A (max 2.4A)
Volts 125V
Color White
LED Night Light
Blister Packing

Model	Amps	Watts	Pieces Per Master	Carton Size	Gross WT. (KGS)	CBM Per Master
AL601173	15	1875	72	42x38.5x32.5	7.0	0.0525

Add "BK" to item code for Black



3 Outlet + 2 USB-A (max 2.4A)
Volts 125V
Color White
LED Night Light
Blister Packing

Model	Amps	Watts	Pieces Per Master	Carton Size	Gross WT. (KGS)	CBM Per Master
AL601174	15	1875	72	42x38.5x32.5	7.0	0.0525

Add "BK" to item code for Black



2 Outlet + 2 USB-A (max 2.4A)
Volts 125V
Color White
Blister Packing

Model	Amps	Watts	Pieces Per Master	Carton Size	Gross WT. (KGS)	CBM Per Master
AL601175	15	1875	72	42x38.5x32.5	7.0	0.0525



6 Outlet + 2 USB-A (max 2.4A)
Volts 125V
Color White
Blister Packing

Model	Amps	Watts	Pieces Per Master	Carton Size	Gross WT. (KGS)	CBM Per Master
AL601176	15	1875	60	77x37.5x29	7.5	0.0837



6 Outlet + 2 USB-A (max 2.4A)
Volts 125V
Color White
3 Rotating Outlets
Sleeve Packing

Model	Amps	Watts	Pieces Per Master	Carton Size	Gross WT. (KGS)	CBM Per Master
AL601177	15	1875	24	47x31x25.5	5.5	0.0371



2 Outlet + 2 USB-A (max 2.4A)

Volts 125V
Color White
Surge Protection 900J
LED Night Light
Blister Packing

Model	Amps	Watts	Pieces Per Master	Carton Size	Gross WT. (KGS)	CBM Per Master
AL601178	15	1875	72	42x38.5x32.5	7.0	0.0525

Add "BK" to item code for Black



3 Outlet + 2 USB-A (max 2.4A)

Volts 125V
Color White
Surge Protection 900J
LED Night Light
Blister Packing

Model	Amps	Watts	Pieces Per Master	Carton Size	Gross WT. (KGS)	CBM Per Master
AL601179	15	1875	72	42x38.5x32.5	7.0	0.0525

Add "BK" to item code for Black



2 Outlet + 2 USB-A (max 2.4A)

Volts 125V
Color White
Surge Protection 300J
Blister Packing

Model	Amps	Watts	Pieces Per Master	Carton Size	Gross WT. (KGS)	CBM Per Master
AL601180	15	1875	72	42x38.5x32.5	7.0	0.0525



6 Outlet + 2 USB (max 2.4A)

Volts 125V
Color White
Surge Protection 300J
Blister Packing

Model	Amps	Watts	Pieces Per Master	Carton Size	Gross WT. (KGS)	CBM Per Master
AL601181	15	1875	60	77x37.5x29	7.5	0.0837



6 Outlet + 2 US-A (max 2.4A)

Volts 125V
Color White
Surge Protection 1050J
3 Rotating Outlets
Sleeve Packing

Model	Amps	Watts	Pieces Per Master	Carton Size	Gross WT. (KGS)	CBM Per Master
AL601182	15	1875	24	47x31x25.5	5.5	0.0371



6 Outlet

Volts 125V
Color White
Surge Protection 1000J
3 Rotating Outlets
Sleeve Packing

Model	Amps	Watts	Pieces Per Master	Carton Size	Gross WT. (KGS)	CBM Per Master
AL601183	15	1875	24	47x31x25.5	5.5	0.0371



Warranty

Americanlite® is pleased to provide a 1 year limited warranty covering the products in this catalogue. Americanlite® warrants that the products comply with Americanlite®'s published specifications and are free from defects in materials and workmanship.

All our equipment is CE, ETL or UL approved and manufactured with approved components. Americanlite® reserves the right to change or improve the design or components of any of its products due to parts availability or changes in standards, without assuming any obligation to modify any product previously manufactured and without notice. All wiring devices are tested and inspected before shipment.

This warranty is void if the product is operated outside of its normal operating conditions. The foregoing warranty does not apply to failures caused by acts of God or as a result of any abuse, misuse, abnormal use, or use in violation of any applicable standard, code or instructions for use in installations, including, but not limited to, those contained in the Standards for the International Electrotechnical Commission. Americanlite® reserves and has the right to examine failed fixtures to determine the cause of failure, excessive lumen depreciation and patterns of usage.