



SRDT Cords

americanlite[®]
We light your world[™]





Appliance

SJT Power Supply Cords



Flat Cord / Plug



Light Duty / Tinned End

Cable SJT
Gauge 16 AWG x 3C
Volts 125V
NEMA 5-15P
Sleeve Packing



Model	Length (FT)	Rated Amps	Watts	Pieces Per Master	Carton Size	Gross WT. (KGS)	CBM Per Master
AL602204	3	13	1625	50	32x25x20	7.00	0.0160
AL602205	6	13	1625	50	34x32x34	10.0	0.0261
AL602206	9	13	1625	50	38x35x25	13.0	0.0332



Medium Duty / Tinned End

Cable SJT
Gauge 14 AWG x 3C
Volts 125V
NEMA 5-15P
Sleeve Packing



Model	Length (FT)	Rated Amps	Watts	Pieces Per Master	Carton Size	Gross WT. (KGS)	CBM Per Master
AL602207	3	15	1875	50	26x24x30	8.00	0.0187
AL602208	6	15	1875	50	37x28x26	13.0	0.0259
AL602209	9	15	1875	50	40x30x22	14.5	0.0264

Flat Cord / Straight Plug



Light Duty / Tinned End

Cable SJT
Gauge 16 AWG x 3C
Volts 125V
NEMA 5-15P
Sleeve Packing



Model	Length (FT)	Rated Amps	Watts	Pieces Per Master	Carton Size	Gross WT. (KGS)	CBM Per Master
AL602210	3	13	1625	50	32x25x20	7.00	0.0160
AL602211	6	13	1625	50	34x32x24	10.0	0.0261
AL602212	9	13	1625	50	38x35x25	13.0	0.0332



Medium Duty / Tinned End

Cable SJT
Gauge 14 AWG x 3C
Volts 125V
NEMA 5-15P
Sleeve Packing



Model	Length (FT)	Rated Amps	Watts	Pieces Per Master	Carton Size	Gross WT. (KGS)	CBM Per Master
AL602213	3	15	1875	50	26x24x30	8.00	0.0187
AL602214	6	15	1875	50	37x28x25	13.0	0.0259
AL602215	9	15	1875	50	40x30x22	14.5	0.0264



Flat Cord / Plug



Light Duty / Tinned End

Cable SPT-3
Gauge 16 AWG x 3C
Volts 125V
NEMA 5-15P
Sleeve Packing



Model	Length (FT)	Rated Amps	Watts	Pieces Per Master	Carton Size	Gross WT. (KGS)	CBM Per Master
AL602216	3	13	1625	50	32x25x20	7.00	0.0160
AL602217	6	13	1625	50	34x32x24	10.0	0.0261
AL602218	9	13	1625	50	38x35x25	13.0	0.0237



Light Duty / Tinned End

Cable SPT-3
Gauge 14 AWG x 3C
Volts 125V
NEMA 5-15P
Sleeve Packing



Model	Length (FT)	Rated Amps	Watts	Pieces Per Master	Carton Size	Gross WT. (KGS)	CBM Per Master
AL602219	3	15	1875	50	26x24x30	8.00	0.0187
AL602220	6	15	1875	50	37x28x25	13.0	0.0259
AL602221	9	15	1875	50	40x30x22	14.5	0.0264

Flat Cord / Straight Plug



Light Duty / Tinned End

Cable SPT-3
Gauge 16 AWG x 3C
Volts 125V
NEMA 5-15P
Sleeve Packing



Model	Length (FT)	Rated Amps	Watts	Pieces Per Master	Carton Size	Gross WT. (KGS)	CBM Per Master
AL602222	3	13	1625	50	32x25x20	7.00	0.0160
AL602223	6	13	1625	50	34x32x24	10.0	0.0261
AL602224	9	13	1625	50	38x35x25	13.0	0.0332



Light Duty / Tinned End

Cable SPT-3
Gauge 14 AWG x 3C
Volts 125V
NEMA 5-15P
Sleeve Packing



Model	Length (FT)	Rated Amps	Watts	Pieces Per Master	Carton Size	Gross WT. (KGS)	CBM Per Master
AL602225	3	15	1875	50	26x24x30	8.00	0.0187
AL602226	6	15	1875	50	37x28x25	13.0	0.0259
AL602227	9	15	1875	50	40x30x22	14.5	0.0264

SPT-3 Power Supply Cords & Receptacle



Flat Cord / Plug



Light Duty

Cable SPT-3
Gauge 16 AWG x 3C
Volts 125V
NEMA 5-15P
Sleeve Packing



Model	Length (FT)	Rated Amps	Watts	Pieces Per Master	Carton Size	Gross WT. (KGS)	CBM Per Master
AL602228	3	13	1625	36	25x25x32	6.00	0.0137
AL602229	6	13	1625	36	35x25x32	9.00	0.0192
AL602230	9	13	1625	24	30x26x22	9.50	0.0171
AL602231	12	13	1625	24	32x28x25	11.5	0.0224



Light Duty

Cable SPT-3
Gauge 14 AWG x 3C
Volts 125V
NEMA 5-15P
Sleeve Packing



Model	Length (FT)	Rated Amps	Watts	Pieces Per Master	Carton Size	Gross WT. (KGS)	CBM Per Master
AL602200	3	15	1875	24	26x25x16	5.00	0.0104
AL602201	6	15	1875	24	30x25x20	6.50	0.0150
AL602202	9	15	1875	24	30x25x29	11.0	0.0217
AL602203	12	15	1875	7	30x25x18	6.50	0.0135



Flat Cord / Straight Plug



Light Duty

Cable SPT-3
Gauge 16 AWG x 3C
Volts 125V
NEMA 5-15P
Sleeve Packing



Model	Length (FT)	Rated Amps	Watts	Pieces Per Master	Carton Size	Gross WT. (KGS)	CBM Per Master
AL602232	3	13	1625	36	25x25x22	6.00	0.0137
AL602233	6	13	1625	36	25x25x32	9.00	0.0192
AL602234	9	13	1625	24	30x26x22	9.50	0.0171
AL602235	12	13	1625	24	32x28x25	11.5	0.0224



Light Duty

Cable SPT-3
Gauge 14 AWG x 3C
Volts 125V
NEMA 5-15P
Sleeve Packing



Model	Length (FT)	Rated Amps	Watts	Pieces Per Master	Carton Size	Gross WT. (KGS)	CBM Per Master
AL602236	3	15	1875	24	26x25x16	5.00	0.0104
AL602237	6	15	1875	24	30x25x20	6.50	0.0150
AL602238	9	15	1875	24	30x25x29	11.0	0.0217
AL602239	12	15	1875	7	30x25x18	6.50	0.0135



AC Receptacle



Flush Mount

Amps 30
Volts 250V
NEMA 6-30R
White Box Packing



Model	Pieces Per Master	Carton Size	Gross WT. (KGS)	CBM Per Master
AL602240	50	35.7x35.5x22.7	15.5	0.0302





Dryer Cords



Cable SRDT
Color Gray
Gauge 10 AWG x 3
Volts 125V/250V
NEMA 10-30P
Bag Packing



Model	Length (FT)	Rated Amps	Pieces Inner	Pieces Master	Carton Size	Gross WT. (KGS)	CBM Per Master
AL602241	4	30	12	36	30.5x30.5x40	19.0	0.0372
AL602242	5	30	12	24	33.5x33.5x27	14.8	0.0303
AL602243	6	30	12	24	35x35x30	17.6	0.0367
AL602244*	10	30	N/A	12	40.5x40.5x12.5	12.4	0.2050

Option:

Blank Spade Ends
R Round Ends



Spade Ends



Round Ends

Note:

10'= NO UL



Cable SRDT
Color Black
Gauge 10 AWG x 4
Volts 125V/250V
NEMA 14-30P
Bag Packing



Model	Length (FT)	Rated Amps	Pieces Inner	Pieces Master	Carton Size	Gross WT. (KGS)	CBM Per Master
AL602245	4	30	12	36	30.5x30.5x28	19.0	0.0260
AL602246	5	30	12	24	33.5x33.5x28	14.8	0.0314
AL602247	6	30	12	24	35x35x28	17.6	0.0352

Option:

Blank Spade Ends
R Round Ends



Spade Ends



Round Ends

Dryer Power Outlets & Plug



Flush Mount
3 Pole / 3 wire
Non-Grounding
Amps 30
Volts 125/250V
NEMA 10-30R
White Box Packing



Model	Pieces Per Master	Carton Size	Gross WT. (KGS)	CBM Per Master
AL602248	50	37.5x35.5x22.7	10.5	0.0302



Surface Mount
3 Pole / 3 wire
Non-Grounding
Amps 30
Volts 125/250V
NEMA 10-30R
White Box Packing



Model	Pieces Per Master	Carton Size	Gross WT. (KGS)	CBM Per Master
AL602249	40	32.5x31x30.5	18.5	0.0307



Universal Plug
3 Pole / 3 Wire
NEMA 10-50P / 10-30P
White Box Packing



10-50P



10-30P

Model	Pieces Per Master	Carton Size	Gross WT. (KGS)	CBM Per Master
AL602250	50	37.5x35.5x22.7	11.5	0.0302

Range Power Supply Cords



Range Cords



Cable SRDT
Color Gray
Gauge 8 AWG x 2
10 AWG x 1
Volts 125V/250V
NEMA 10-50P
Bag Packing



Model	Length (FT)	Rated Amps	Pieces Inner	Pieces Master	Carton Size	Gross WT. (KGS)	CBM Per Master
AL602251	4	40	12	24	35.5x35.5x34	18.2	0.0428
AL602252	5	40	12	24	36.5x36.5x37	21.5	0.0492
AL602253	6	40	12	24	37.5x37.5x37	24.6	0.0520
AL602254*	10	40	6	12	41.5x41.5x23	19.2	0.0396

Option:

Blank Spade Ends
R Round Ends



Spade Ends



Round Ends

Note:

10' = NO UL



Cable SRDT
Color Gray
Gauge 6 AWG x 2
8 AWG x 1
Volts 125V/250V
NEMA 10-50P
Bag Packing



Model	Length (FT)	Rated Amps	Pieces Inner	Pieces Master	Carton Size	Gross WT. (KGS)	CBM Per Master
AL602255	4	50	12	24	35.5x33.5x28	18.9	0.0314
AL602256	5	50	NA	12	34x34x13	10.7	0.0150
AL602257	6	50	NA	12	37x37x13	12.4	0.0177
AL602258*	10	50	6	12	43.5x43.5x15	20.5	0.0283

Option:

Blank Spade Ends
R Round Ends



Spade Ends



Round Ends

Note:

10' = NO UL



Cable SRDT
Color Black
Gauge 8 AWG x 2
10 AWG x 2
Volts 125V/250V
NEMA 14-50P
Bag Packing



Model	Length (FT)	Rated Amps	Pieces Inner	Pieces Master	Carton Size	Gross WT. (KGS)	CBM Per Master
AL602259	4	40	NA	12	37x37x17	12.8	0.0232
AL602260	5	40	NA	12	40x40x19	15.8	0.0304
AL602261	6	40	NA	12	42x42x19	19.0	0.0335

Option:

Blank Spade Ends
R Round Ends



Spade Ends



Round Ends



Cable SRDT
Color Black
Gauge 6 AWG x 2
8 AWG x 2
Volts 125V/250V
NEMA 14-50P
Bag Packing



Model	Length (FT)	Rated Amps	Pieces Inner	Pieces Master	Carton Size	Gross WT. (KGS)	CBM Per Master
AL602262	4	50	12	24	38.5x38.5x33	20.9	0.0489
AL602263	5	50	NA	12	37x37x18	11.9	0.0246
AL602264	6	50	NA	12	39x39x18	13.7	0.0273

Option:

Blank Spade Ends
R Round Ends



Spade Ends



Round Ends

Range Power Outlets & Plug



Flush Mount



Flush Mount 3 Pole / 4 wire Grounding

Amps 30
Volts 125/250V
NEMA 14-30R
White Box Packing



Model	Pieces Per Master	Carton Size	Gross WT. (KGS)	CBM Per Master
AL602265	50	37.5x35.5x22.7	11.5	0.0302



Flush Mount 3 Pole / 3 wire Grounding

Amps 50
Volts 125/250V
NEMA 10-50R
White Box Packing



Model	Pieces Per Master	Carton Size	Gross WT. (KGS)	CBM Per Master
AL602266	50	37.5x35.5x22.7	10.5	0.0302



Flush Mount 3 Pole / 4 wire Grounding

Amps 50
Volts 125/250V
NEMA 14-50R
White Box Packing



Model	Pieces Per Master	Carton Size	Gross WT. (KGS)	CBM Per Master
AL602267	50	37.5x35.5x22.7	11.5	0.0302

Surface Mount



Surface Mount 3 Pole / 3 wire Non Grounding

Amps 50
Volts 125/250V
NEMA 10-50P
White Box Packing



Model	Pieces Per Master	Carton Size	Gross WT. (KGS)	CBM Per Master
AL602268	40	32.5x31x30.5	18.5	0.030



Surface Mount 3 Pole / 4 wire Grounding

Amps 50
Volts 125/250V
NEMA 14-50R
White Box Packing



Model	Pieces Per Master	Carton Size	Gross WT. (KGS)	CBM Per Master
AL602269	40	32.5x31x30.5	10.5	0.0307

Plug



Universal Plug
3 Pole / 4 Wire
NEMA 14-50P / 14-30P
White Box Packing



Model	Pieces Per Master	Carton Size	Gross WT. (KGS)	CBM Per Master
AL602270	40	32.5x31x30.5	16.5	0.0307



Warranty

Americanlite® is pleased to provide a 1 year limited warranty covering the products in this catalogue. Americanlite® warrants that the products comply with Americanlite®'s published specifications and are free from defects in materials and workmanship.

All our equipment is CE, ETL or UL approved and manufactured with approved components. Americanlite® reserves the right to change or improve the design or components of any of its products due to parts availability or changes in standards, without assuming any obligation to modify any product previously manufactured and without notice. All wiring devices are tested and inspected before shipment.

This warranty is void if the product is operated outside of its normal operating conditions. The foregoing warranty does not apply to failures caused by acts of God or as a result of any abuse, misuse, abnormal use, or use in violation of any applicable standard, code or instructions for use in installations, including, but not limited to, those contained in the Standards for the International Electrotechnical Commission. Americanlite® reserves and has the right to examine failed fixtures to determine the cause of failure, excessive lumen depreciation and patterns of usage.