



LED®

Bulkhead


americanlite®

We light your world™



Bulkhead Series

8w/12w
CCT Selectable



LED bulkheads lights have a nautical-inspired design similar to lights used on ships. Americanlite® CCT Selectable Bulkheads are architectural wall-mounted fixtures made of strong PP housing, for indoor and outdoor wet location applications. These sturdy fixtures are IP65 rated and vandal resistant IK08 grade, making them ideal for rough service and extreme environmental conditions.


Americanlite® CCT Selectable Bulkheads provides the ability to change the CCT with the flip of a switch and cater to the needs of a space. Too warm or too cool? too bright? Simply toggle the integrated switch to your desired setting and you are done! LED's available in two CCT combinations: 3K/4K/65K and 3K/4K/5K.

Bulkhead fixtures offer a stunning lumen output, without compromising visual comfort or aesthetic. We offer a Microwave Sensor option that works on a 3 meters range, no switch to on/off, and will turn off after 15 seconds of no human detection.


Bulkhead fixtures come in oval and round shapes, and can be mounted on the wall or ceiling. Bulkhead lights are available in white finish to complement the interior and exterior building design.

Americanlite® CCT Selectable Bulkhead fixtures can be installed in public locations like airports, train stations, car parks and warehouses, also indoor applications such as gymnasiums, schools, restrooms and many more.

Dimensions (mm)



Model	A	B	C
Oval 8w	158	85	39
Oval 12w	193	94	39



Model	Ø	C
Round 8w	151	40
Round 12w	173	40

Ordering information

Oval			
Item	Power	CCT	Lumens
AL874300	8w	3K/4K/65K	640/720/640
AL874301	8w	3K/4K/5K	640/720/640
AL874302	12w	3K/4K/65K	960/1080/960
AL874303	12w	3K/4K/5K	960/1080/960

Round			
Item	Power	CCT	Lumens
AL874304	8w	3K/4K/65K	640/720/640
AL874305	8w	3K/4K/5K	640/720/640
AL874306	12w	3K/4K/65K	960/1080/960
AL874307	12w	3K/4K/5K	960/1080/960

Oval with Microwave Sensor			
Item	Power	CCT	Lumens
AL874308	8w	3K/4K/65K	640/720/640
AL874309	8w	3K/4K/5K	640/720/640
AL874310	12w	3K/4K/65K	960/1080/960
AL874311	12w	3K/4K/5K	960/1080/960



Round with Microwave Sensor			
Item	Power	CCT	Lumens
AL874312	8w	3K/4K/65K	640/720/640
AL874313	8w	3K/4K/5K	640/720/640
AL874314	12w	3K/4K/65K	960/1080/960
AL874315	12w	3K/4K/5K	960/1080/960



Notes

- Lumen output is subject to +-10% tolerance range
- Dip Switch = IP20


Packing information

Model	Pieces per master	CBM (master)	Box Dimensions (CM)	Gross weight (KGS)
Oval 8w	80	0.0596	47 x 37 x 34.3	11.43
Oval 12w	80	0.0793	51.8 x 36.3 x 42.2	13.40
Round 8w	60	0.0735	48.6 x 46 x 32.9	11.45
Round 12w	60	0.0956	55.5 x 45.1 x 38.2	11.92



Bulkhead Series

8w/12w



LED bulkhead lights have a nautical-inspired design similar to lights used in ships.


Americanlite® Bulkhead are architectural wall-mounted fixtures made of strong PP housing, for indoor and outdoor wet location applications. These sturdy fixtures are IP65 rated and vandal resistant IK08 grade, making them ideal for rough service and extreme environmental conditions.

Bulkhead fixtures offer a stunning lumen output, without compromising visual comfort or aesthetic. We offer a Microwave sensor option) that works on a 3 meters range, no switch to on/off, and will turn off after 15 seconds of no human detection.


Bulkhead fixtures come in oval and round shapes, and can be mounted on the wall or ceiling. Bulkhead lights are available in white finish to complement the interior and exterior building design.

Americanlite® Bulkhead fixtures can be installed in public locations like airports, train stations, car parks and warehouses, also indoor applications such as gymnasiums, schools, restrooms and many more.

Dimensions (mm)



Model	A	B	C
Oval 8w	158	85	39
Oval 12w	193	94	39



Model	Ø	C
Round 8w	151	40
Round 12w	173	40

Ordering information

Oval			
Item	Power	CCT	Lumens
AL674300	8w	3000K	800
AL674301	8w	4000K	800
AL674315	8w	5000K	800
AL674302	8w	6500K	800
AL674303	12w	3000K	1100
AL674304	12w	4000K	1100
AL674316	12w	5000K	1100
AL674305	12w	6500K	1100

Round			
Item	Power	CCT	Lumens
AL674306	8w	3000K	800
AL674307	8w	4000K	800
AL674317	8w	5000K	800
AL674308	8w	6500K	800
AL674309	12w	3000K	1100
AL674310	12w	4000K	1100
AL674318	12w	5000K	1100
AL674311	12w	6500K	1100

Oval with Microwave Sensor

Item	Power	CCT	Lumens	Microwave Sensor
AL474300	8w	3000K	800	
AL474301	8w	4000K	800	
AL474302	8w	5000K	800	
AL474303	8w	6500K	800	
AL474304	12w	3000K	1100	
AL474305	12w	4000K	1100	
AL474306	12w	5000K	1100	
AL474307	12w	6500K	1100	

Round with Microwave Sensor

Item	Power	CCT	Lumens	Microwave Sensor
AL474308	8w	3000K	800	
AL474309	8w	4000K	800	
AL474310	8w	5000K	800	
AL474311	8w	6500K	800	
AL674312	12w	3000K	1100	
AL674313	12w	4000K	1100	
AL674319	12w	5000K	1100	
AL674314	12w	6500K	1100	

Notes

Lumen output is subject to +-10% tolerance range

Packing information

Model	Pieces per master	CBM (master)	Box Dimensions (CM)	Gross weight (KGS)
Oval 8w	80	0.0596	47 x 37 x 34.3	11.43
Oval 12w	80	0.0793	51.8 x 36.3 x 42.2	13.40
Round 8w	60	0.0735	48.6 x 46 x 32.9	11.45
Round 12w	60	0.0956	55.5 x 45.1 x 38.2	11.92



Warranty

Americanlite® is pleased to provide a 2 year limited warranty covering the LED fixtures in this catalogue. Americanlite® warrants that the LED fixtures comply with Americanlite®'s published specifications and are free from defects in materials and workmanship.

All our equipment is manufactured with approved components. Americanlite® reserves the right to change or improve the design or components of any of its products due to parts availability or changes in standards, without assuming any obligation to modify any product previously manufactured and without notice. All equipment is tested and inspected before shipment.

This warranty is void if the product is operated outside of its normal operating conditions. The foregoing warranty does not apply to failures caused by acts of God or as a result of any abuse, misuse, abnormal use, or use in violation of any applicable standard, code or instructions for use in installations, including, but not limited to, those contained in the Standards for the International Electrotechnical Commission. Americanlite® reserves and has the right to examine failed fixtures to determine the cause of failure, excessive lumen depreciation and patterns of usage.