



LED®

## Shatterproof String Lites™


americanlite.®

We light your world™





## SMART String Lites™





The Americanlite® Smart LED String Lites™ combine the beauty of vintage, Edison-Style Filament bulbs with the latest in Smart LED technology to bring you beautiful lighting where you want it. State-of-the-art LEDs save over 90% of energy over incandescent bulbs and last a longer lifespan.

Americanlite® Smart Shatterproof LED String Lites™ have been designed for outdoor use; guaranteed to last through any weather condition. Rain, wind, or snow, our string lights are built with durability in mind. Commercial grade heavy duty cord & easy-to-hang loops positioned over each bulb, can be easily installed, and arranged for mood-lighting. No need to worry about the hazard of broken lamps as they won't break if dropped.

Our Smart Led String Lites™ will transport you to a classic cafe ambience in seconds. Americanlite® led bulbs are bright and whitish enough without being blinding; the soft, warm light will add a welcoming glow to any location; our RGB system will allow you to set up to 50 different colors, creating any ambience you are up to. You can easily download Alexa & Smart Life™ app from your device at the App Store & Google Play.

Americanlite® Smart Shatterproof Led String Lites™ are the perfect decoration for commercial and residential spaces, such as lighting on patios, balcony terrace, garden, bistro, pergola, gazebo, tent, barbecue, city roof, market, cafe, umbrella, dinner, wedding, birthday, party etc.

### Dimensions (cm)



### Ordering Information

Model	Total Length	Total Bulbs	Total Power	Total Lumens
AL672104	14.6m / 48ft	15	15w	375

**Lamp beads (Spare part replacement= 3 lamp beads)**  
AL571887

### Notes

- Lumens: 25 lxw per bulb (2200K-6500K)
- Adapter: Input 100-240V / Output: DC12V,1.5A
- Bulb: 1w, Acrylic Cover
- Each set comes with 1 spare part (3 lamp beads)
- Cable: 20AWG x 2
- RGBW:  
RGB = up to 50 colors  
W = 2200-2700-3000-4000-5000-6500K
- You can link up to 4 strings using one electrical outlet
- Recommended hours of use per day: 10 hours max

### Packing Information

Item	Individual color box	Pieces per master	Master carton	CBM (master)	Gross Weight (KG)
String	26 x 16.5 x 20	8 Sets	54.5 x 35 x 42.5	0.0810	18
Replacement lamp beads	Bag	100 pcs	15 x 15 x 15	0.0011	0.1



## SMART String Lites™




The Americanlite® Smart LED String Lites™ combine the beauty of vintage, Edison-Style Filament bulbs with the latest in Smart LED technology to bring you beautiful lighting where you want it. State-of-the-art LEDs save over 90% of energy over incandescent bulbs and last a longer lifespan.

Americanlite® Smart Shatterproof LED String Lites™ have been designed for outdoor use; guaranteed to last through any weather condition. Rain, wind, or snow, our string lights are built with durability in mind. Commercial grade heavy duty cord & easy-to-hang loops positioned over each bulb, can be easily installed, and arranged for mood-lighting. No need to worry about the hazard of broken lamps as they won't break if dropped.

Our Smart Led String Lites™ will transport you to a classic cafe ambience in seconds. Americanlite® led bulbs are bright and whitish enough without being blinding; the soft, warm light will add a welcoming glow to any location; our RGB system will allow you to set up to 50 different colors, creating any ambience you are up to. You can easily download Alexa & Smart Life™ app from your device at the App Store & Google Play.

Americanlite® Smart Shatterproof Led String Lites™ are the perfect decoration for commercial and residential spaces, such as lighting on patios, balcony terrace, garden, bistro, pergola, gazebo, tent, barbecue, city roof, market, cafe, umbrella, dinner, wedding, birthday, party etc.

### Dimensions (cm)



### Ordering Information

Model	Total Length	Total Bulbs	Total Power	Total Lumens
AL672102	7.6m / 25ft	25	13w	625m

### Bulb (spare part / replacement)

AL571886 27 pcs per box


### Notes

- Lumens: 25 lxw per bulb (2200K-6500K)
- Adapter: Input 100-240V / Output: DC5V, 2A
- Bulb: 0.52w, PET Cover
- Each set comes with 2 extra bulbs
- Cable: SPT-2 20 AGW x 2 full copper
- RGBW:  
RGB = up to 50 colors  
W = 2200-2700-3000-4000-5000-6500K
- You can link up to 2 strings using one electrical outlet
- Recommended hours of use per day: 10 hours max

### Packing Information

Item	Individual color box	Pieces per master	Master carton	CBM (master)	Gross Weight (KG)
String	17.5 x 14 x 19	24 Sets	58.5 x 36.5 x 59	0.1259	15
Replacement Bulbs 27 pcs	38 x 13 x 7.5 (plain box)	10 Boxes	38.5 x 27 x 40	0.0415	7.5

## SOLAR String Lites™



The Americanlite® Solar Shatterproof LED String Lites™ combine the beauty of vintage, Edison-Style Filament bulbs with the latest in Solar and cutting-edge LED technology to bring you beautiful lighting where you want it. No power, all solar, 100% Energy Savings!

The built-in sensor in the solar panel recognizes when it's nighttime and switches the lights on for you, so you don't have to touch the strands at all for them to come on exactly when you need them. Our Solar Led String Lite™ will transport you to a classic cafe ambience in seconds.


Americanlite® Solar LED String Lites™ are guaranteed to last through any weather condition. Rain, wind, or snow, our string lights are built with durability in mind. Americanlite® LED bulbs are bright and whitish enough without being blinding; the soft, warm light will add a welcoming glow to any location.

Americanlite® Solar LED String Lites™ comes in 2 options: 7.6m / 25' or 14.6m / 48' long with 8 or 15 commercial grade impact & weather resistant, 0.6w bulbs, 70 lumens each, available 2200K to 6000K. Commercial grade heavy duty cord & easy-to-hang loops positioned over each bulb, can be easily installed, and arranged for mood-lighting. No need to worry about the hazard of broken lamps as they won't break if dropped (PC cover).


Americanlite® Solar Led String Lites™ are the perfect decoration for commercial and residential spaces, such as lighting on patios, balcony terrace, garden, bistro, pergola, gazebo, tent, barbecue, city roof, market, cafe, umbrella, dinner, wedding, birthday, party etc.

### Dimensions (cm)

#### 8 Bulb String (7.6m / 25ft)



#### 15 Bulb String (14.6m / 48ft)



### Ordering Information

Model	Total Length	Total Bulbs	Total Power	Total Lumens	CCT	Bulb (spare part / replacement)
AL672106	7.6m / 25ft	8	4.8w	560lm	Blank 2200K	AL572296 15 pcs per inner box
AL672107	14.6m / 48ft	15	9w	1050lm	2 2700K	
					4 4000K	
					5 5000K	
					6 6000K	

### Notes

- Lumens: 70 per bulb
- Working hours: 8
- Charging time: Solar 8 hours, USB cable (included) 4 hours
- Bulb: 0.6w, 3.7V, CRI 80 / 70 lumens, PC Cover
- Each set comes with 1 extra bulb
- Multi-Crystal Solar Panel: 4.8w = 4.5V 250MAH 1.125W, 9w = 5V 500MAH 2.5W
- Lithium Battery: 4.8w = 3.7V 1200MAH, 9w = 3.7V 2400MAH
- Cable: 8 PCS = 25' (7.6M) SJTW 2C\*0.75mm<sup>2</sup> CCA, 15 PCS = 48' (14.6M) SJTW 2C\*0.75mm<sup>2</sup> CCA
- Panel Size: 4.8w = 105 x 85mm, 9w = 165.5 x 137.5mm
- Operation Modes: On Switch: Light on / off: auto, 8 Mode Switch: Loop for all modes, Steady On, Slow Flash, Fast Flash, Slow Fade In/Out, Fast Fade In/out, Strobe, Fade in+off.

### Packing Information

Item	Individual color box	Pieces per master	Master carton	CBM (master)	Gross Weight (KG)
8 Bulbs (7.6m)	24 x 17 x 13	20	49.5 x 35.5 x 67	0.1177	12
15 Bulbs (14.6m)	32 x 18 x 16mm	12	65.5 x 38 x 50	0.1244	12
Replacement Bulbs 15 pcs	24.4 x 14.6 x 9 (plain box)	30 Boxes	50.8 x 46 x 49	0.1145	13

## SOLAR String Lites™



The Americanlite® Solar Shatterproof LED String Lites™ combine the beauty of vintage, Edison-Style Filament bulbs with the latest in Solar and cutting-edge LED technology to bring you beautiful lighting where you want it. No power, all solar, 100% Energy Savings!

The built-in sensor in the solar panel recognizes when it's nighttime and switches the lights on for you, so you don't have to touch the strands at all for them to come on exactly when you need them. Our Solar Led String Lite™ will transport you to a classic cafe ambience in seconds.


Americanlite® Solar LED String Lites™ are guaranteed to last through any weather condition. Rain, wind, or snow, our string lights are built with durability in mind. Americanlite® LED bulbs are bright and whitish enough without being blinding; the soft, warm light will add a welcoming glow to any location.

Americanlite® Solar LED String Lites™ is 10.5m / 34.5' long with 30 commercial grade impact & weather resistant, 0.1w bulbs, 13 lumens each, available in 2700K. Includes a Remote Control with 8 operation modes. Commercial grade heavy duty cord & easy-to-hang loops positioned over each bulb, can be easily installed, and arranged for mood-lighting. No need to worry about the hazard of broken lamps as they won't break if dropped (PC cover).

Americanlite® Solar Led String Lites™ are the perfect decoration for commercial and residential spaces, such as lighting on patios, balcony terrace, garden, bistro, pergola, gazebo, tent, barbecue, city roof, market, cafe, umbrella, dinner, wedding, birthday, party etc.

<b>Wet Location</b>	<b>Shatterproof</b>
<b>10.5m</b> <b>34.5ft</b> <b>Long</b>	<b>30</b> <b>Bulbs</b> 0.1w / bulb
<b>13</b> Lumens / bulb	<b>CCT</b> 2700K
<b>360°</b> Beam Angle	<b>Base</b> E12
<b>Bulb</b> ST38	<b>VOLTS</b> 3.7
<b>CRI</b> 80	<b>-25°C to 60°C</b>
<b>1</b> <b>YEAR</b> Warranty	

### Dimensions (cm)



### Ordering Information

Model	Total Length	Total Bulbs	Total Power	Total Lumens	CCT	Bulb (spare part / replacement)	
AL672110	10.5m / 34.5ft	30	3w	390lm	2700K	AL572297	24 pcs

### Notes

- |  |  |  |
|--|--|--|
| <ul style="list-style-type: none"> <li>• Lumens: 13 lm per bulb</li> <li>• Working hours: 8</li> <li>• Charging time: Solar 8 hours<br/>USB cable (included) 4 hours</li> <li>• Discharge time: 8 hours</li> <li>• Bulb: 0.1w, 3.7V, CRI 80 / 13 lumens<br/>PC Cover</li> <li>• Each set comes with 2 extra bulbs</li> </ul> | <ul style="list-style-type: none"> <li>• Multi-Crystal Solar Panel:<br/>5V 400MAH</li> <li>• Lithium Battery:<br/>3.7V 1800MAH</li> <li>• Cable:<br/>SJTW 2C*0.5mm<sup>2</sup> CCA</li> <li>• Remote control Included</li> </ul> | <ul style="list-style-type: none"> <li>• Panel Size: 178.5 x 138.2mm</li> <li>• Operation Modes:<br/>On Switch: Light on / off: auto<br/>8 Mode Switch:<br/>Loop for all modes, Steady On, Slow Flash,<br/>Fast Flash, Slow Fade In/Out, Fast Fade In/Out,<br/>Strobe, Fade in+off.</li> </ul> |
|--|--|--|

### Packing Information

Item	Individual color box	Pieces per master	Master carton	CBM (master)	Gross Weight (KG)
30 Bulbs (10.5m)	24 x 10.5 x 17.5	20	122 x 23 x 37	0.1038	15
Replacement Bulbs	24 pcs / plain box	20 boxes	45 x 44 x 32	0.0633	6.8

## ETL String Lites™



The Americanlite® ETL Shatterproof LED String Lites combine the beauty of vintage, Edison-Style Filament bulbs with the latest in cutting-edge LED technology to bring you beautiful lighting where you want it. State-of-the-art LEDs save over 90% of energy over incandescent bulbs and last a longer lifespan.


<b>10m/33ft Long</b>	<b>15 Bulbs</b>	
	<b>2w / bulb</b>	
<b>CCT 2200K</b>	<b>360° Beam Angle</b>	<b>Base E26</b>
<b>Bulb S14</b>	<b>VOLTS 100-130</b>	
	<b>2 YEARS Warranty</b>	

Our Led String Lite™ will transport you to a classic cafe ambience in seconds. Americanlite® UL LED bulbs are bright and whitish enough without being blinding; the soft, warm light will add a welcoming glow to any location. Americanlite® ETL Shatterproof LED String Lites™ are guaranteed to last through any weather condition. Rain, wind, or snow, our string lights are built with durability in mind.

Americanlite® ETL LED string lights have been designed for outdoor use. A Set 10m / 33' long with 15 commercial grade impact & weather resistant UL bulbs, 2200K soft white glow, while only consuming 2w of electricity per bulb and 160 lumens, meaning your electricity bill will benefit from this energy saving lighting solution. Commercial grade heavy duty ETL listed SJTW 18 gauge / 2wire cord & easy-to-hang loops positioned over each bulb, can be easily installed, and arranged for mood-lighting. No need to worry about the hazard of broken lamps as they won't break if dropped (PC cover). For ETL Standard & current protection, we have added a 5A fuse. You can link up to 150 mts (330'), for a total of 15 strings using one electrical outlet.

Americanlite® ETL Shatterproof Led String Lites™ are the perfect decoration for commercial and residential spaces, such as lighting on patios, balcony terrace, garden, bistro, pergola, gazebo, tent, barbecue, city roof, market, cafe, umbrella, dinner, wedding, birthday, party etc.

### Dimensions (cm/m)



### Ordering Information

<b>String</b>	<b>UL Bulb (spare part / replacement)</b>
AL672101	AL571899 16 pcs per box

### Notes

String: Cable ETL listed SJTW 18 gauge / 2wire, USA 2P plug, 1x 5A fuse.  
 Bulb: UL LED filament 2w 160 lumens per bulb, 100-130V, 2200K, S14, PC cover, E26, 44x85mm+/-1mm. UL E471372/ / damp location. Each set comes with a spare LED bulb and 5A fuse.

Make sure the bulb is tightened before hanging the string lights and then try to connect the power for a light-up test. If the whole string or individual bulbs do not light up, please try to rotate the bulbs 1-2 extra turns. (We design the connection of the light head and socket needs to be very tight for better waterproof)

#### Caution:

Do not wire another appliance on string light, it is for string light wiring only.  
 Only connect string lights, cable not intended for other appliances.  
 Do not connect more than 15 sets together in one line / one power outlet.  
 Recommended use per day, max 10 hours

### Packing Information

Item	Individual color box	Pieces per master	Master carton	CBM (master)	Gross Weight (KG)
String	35 x 22 x 10.5	4 Sets	44 x 37 x 24	0.0390	10
Replacement Bulbs 16 pcs	18 x 18 x 9 (plain box)	20 Boxes	37 x 37 x 50	0.0684	7

## String Lites™ 10m / 14.6m





The Americanlite® Shatterproof LED String Lites™ combine the beauty of vintage, Edison-Style Filament bulbs with the latest in cutting-edge LED technology to bring you beautiful lighting where you want it. State-of-the-art LEDs save over 90% of energy over incandescent bulbs and last a longer lifespan.

Our Led String Lite™ will transport you to a classic cafe ambience in seconds. Americanlite® UL LED bulbs are bright and whitish enough without being blinding; the soft, warm light will add a welcoming glow to any location. Americanlite® Shatterproof LED String Lites™ are guaranteed to last through any weather condition. Rain, wind, or snow, our string lights are built with durability in mind.

Americanlite® LED string lights have been designed for outdoor use. A Set 10m / 33' long with 15 or 14.6m / 48' long with 24 commercial grade impact & weather resistant UL bulbs, 2200K soft white glow, while only consuming 2w of electricity per bulb and 160 lumens, meaning your electricity bill will benefit from this energy saving lighting solution. Commercial grade heavy duty cord & easy-to-hang loops positioned over each bulb, can be easily installed, and arranged for mood-lighting. No need to worry about the hazard of broken lamps as they won't break if dropped (PC cover). You can link up to 150 mts (330'), for a total of 15 strings using one electrical outlet.

Americanlite® Shatterproof Led String Lites™ are the perfect decoration for commercial and residential spaces, such as lighting on patios, balcony terrace, garden, bistro, pergola, gazebo, tent, barbecue, city roof, market, cafe, umbrella, dinner, wedding, birthday, party etc.

### Dimensions (m)



### Ordering Information

String	Length
AL672100	10m
AL672108	14.6m

ETL Bulb (spare part / replacement)
AL571899 = 100 pcs per carton

### Notes

String: 2\*0.75mm<sup>2</sup> Aluminum with 25% cooper plated + PVC Cover USA 2P plug.  
 Bulb: ETL LED filament 2w 160 lumens per bulb, 100-130V, 2200K, S14, PC cover, E26, 44x85mm+/-1mm.  
 10m set includes 1 spare LED bulb / 14.6m set includes 2 spare LED bulbs.

Make sure the bulb is tightened before hanging the string lights and then try to connect the power for a light-up test. If the whole string or individual bulbs do not light up, please try to rotate the bulbs 1-2 extra turns. (We design the connection of the light head and socket needs to be very tight for better waterproof)

#### Caution:

Do not wire another appliance on string light, it is for string light wiring only.  
 Only connect string lights, cable not intended for other appliances.  
 Do not connect more than 15 sets together in one line / one power outlet.

### Packing Information

Item	Individual color box (cm)	Pieces per master	Master carton	CBM (master)	Gross Weight (KG)
10m	20 x 20 x 23	6 Sets	62 x 42 x 49	0.1275	10
14.6m	28 x 19 x 27	6 Sets	59 x 58 x 57	0.1950	10
Replacement Bulbs 16 pcs	4.5 x 4.5 x 9	100 pcs	47 x 24.5 x 23	0.0264	7



## Warranty

---

Americanlite® is pleased to provide up to a 1 or 2 year limited warranty covering the LED fixtures on this catalogue. Americanlite® warrants that the LED fixtures comply with Americanlite®'s published specifications and are free from defects in materials and workmanship.

All our equipment is CE, ETL or UL approved and manufactured with approved components. Americanlite® reserves the right to change or improve the design or components of any of its products due to parts availability or changes in standards, without assuming any obligation to modify any product previously manufactured and without notice. All equipment is tested and inspected before shipment.

This warranty is void if the product is operated outside of its normal operating conditions. The foregoing warranty does not apply to failures caused by acts of God or as a result of any abuse, misuse, abnormal use, or use in violation of any applicable standard, code or instructions for use in installations, including, but not limited to, those contained in the Standards for the International Electrotechnical Commission. Americanlite® reserves and has the right to examine failed fixtures to determine the cause of failure, excessive lumen depreciation and patterns of usage.